



SPECIFICATION FEATURE:

30W - 50W

70W - 100W

REPLACES HID/MH 70W-100W

PHOTO CELL OPTION

**GREAT FOR APARTMENT COMPLEX, GARDENS,
AND OTHER OUTDOOR SPACES**

FITS ON A 2 3/8 INCH OR 3 INCH TENON


INPUT VOLTAGE	110-277VAC	INPUT VOLTAGE	110-277VAC
CRI	> 70	CRI	> 70
LUMEN PER WATT	> 130 LM/W	LUMEN PER WATT	> 130 LM/W
AVAILABLE CCT	4000K,5000K	AVAILABLE CCT	4000K,5000K
LIFE SPAN	50,000 HOURS	LIFE SPAN	50,000 HOURS
OPERATION TYPE	- 22F - 122F	OPERATION TYPE	- 22F - 122F
LUMEN	30W - 3,900 LUMEN 50W - 6,500 LUMEN	LUMEN	70W - 9,100 LUMEN 100W - 13,000 LUMEN
MOUNTING OPTIONS	POLE MOUNT	MOUNTING OPTIONS	POLE MOUNT

ORDERING OPTIONS:
30W - 50W
LEDPST 30W 50K

LEDPST	30W	50K	[BLANK]	[BLANK]	[BLANK]
SERIES LEDPST	RATED WATTAGE 30W 30 WATT 50W 50 WATT	COLOR TEMP 40K 4000 KELVIN 50K 5000 KELVIN 57K 5700 KELVIN	INPUT VOLTAGE BLANK 110 - 277 VAC	OPTIONS BLANK -NO PHOTOCELL PC -PHOTOCELL	FINISHING BLANK BLACK

70W - 100W
LEDPST 100W 50K

LEDPST	70W	50K	[BLANK]	[BLANK]	[BLANK]
SERIES LEDPST	RATED WATTAGE 70W 70 WATT 100W 100 WATT	COLOR TEMP 40K 4000 KELVIN 50K 5000 KELVIN 57K 5700 KELVIN	INPUT VOLTAGE BLANK 110 - 277 VAC	OPTIONS BLANK -NO PHOTOCELL PC PHOTOCELL	FINISHING BLANK BLACK

DIMENSIONS:


2 3/8" or 3" Tenons

PHOTOMETRICS:

